


Sullivan Gulch: Exploration Program

Drill hole IDE-22-228:

Image below shows naumannite mineralization in Sullivan Gulch.



Drill Hole	From (m)	To (m)	Interval (m)	g/t Au	g/t Ag	g/t AuEq
IDE-22-228	27.13	120.40	93.27	0.27	30.61	0.66
including	34.44	35.97	1.53	0.49	260.00	3.84
including	40.54	42.06	1.52	0.19	378.00	5.05
including	81.69	81.99	0.30	0.47	834.00	11.21
IDE-22-228	173.13	185.17	12.04	0.91	53.98	1.60
including	176.17	177.24	1.07	2.87	74.17	3.83
IDE-22-228	206.65	243.23	36.58	0.99	36.84	1.46
including	211.23	214.27	3.04	3.74	201.90	6.34
including	222.35	223.57	1.22	2.16	82.90	3.23
including	241.10	242.32	1.22	4.29	22.08	4.57
IDE-22-228	287.43	314.40	26.97	4.10	446.92	9.85
including	290.78	293.68	2.90	3.59	121.81	5.16
including	299.22	299.92	0.70	1.79	218.00	4.60
including	303.89	304.56	0.67	9.04	9.17	9.16
including	307.70	313.33	5.63	13.47	1,909.45	38.05
including	308.70	309.10	0.40	80.40	1,4054.00	261.28
including	309.98	310.74	0.76	40.74	2,839.00	77.28

- (1) Downhole thickness; true width varies depending on drill hole dip; most drill holes are aimed at intersecting the vein structures close to perpendicular therefore true widths are close to downhole widths (approximately 70% conversion ratio)
- (2) Gold equivalent = $g \text{ Au/t} + (g \text{ Ag/t} \div 77.70)$
- (3) Intervals reported are uncapped